


Sewing Accessory Holder



Supplies:

- 2 pieces fabric 66 x 56 cm *
- 1 piece wadding 66 x 56 cm
- Flexible screen mesh or plastic 61 x 13 cm (for pockets; can use fabric if you wish)
- 3.7 metres of 5cm wide print fabric for binding strips
- Water soluble marker pen or chalk marker
- Pictogram pen (optional)
- Decorative threads (optional)
- Walking foot for quilting fabric (can do quilting without this foot if you don't have one)


* The supply list and instructions assume that you will quilt your own fabric. If you buy pre-quilted fabric you will need only 1 piece 66 x 56 cm. Use un-quilted fabric for the pockets (61 x 13cm) and binding.



Sewing Instructions

Quilting

- On one piece of fabric (66 x 56 cm), mark gridlines as illustrated, drawing lines 5 cm apart.
- Sandwich the wadding between the two large fabric pieces and quilt, using a walking foot.
- Trim the quilted fabric to 61 x 51 cm.
- If you have used different fabrics, choose which side will be the outside.



Note: If you are using pre-quilted fabric, simply cut a piece 61 x 51 cm.

Decorate Pocket (optional)


- Use the pictogram pen to draw a 6.5 cm wide zigzag pattern lengthwise in the middle of the screen mesh or plastic.
- Draw two parallel lines on each side of the zigzag pattern.
- Stitch lines, using decorative threads.



Note: You can omit this decorative stitching or create your own design. You can also use fabric (rather than screen mesh) to make your pocket.


Attach Pocket

- Cut a 61 cm piece of the 5 cm wide binding strip.
- Press in half lengthwise (strip will now be 2.5cm wide).
- With pocket along one 61 cm edge of the **inside** fabric, set the folded binding on top, raw edges even with fabric and pocket.
- Stitch, using a 1 cm seam allowance.
- Trim the seam allowance and finger press the folded edge of binding toward the outside fabric.



Note: If you are using a fabric pocket, you can use the iron to press the binding.

- Stitch along the folded edge of the binding, through all layers.




Strap

- Cut a 168 cm long piece of the 5 cm wide binding strip.
- Fold and press the raw edges into the centre, creating a 1.2 cm (approx.) double folded strip.
- Stitch 2 rows along the length of the strip, on each edge.



Binding

- Fold the remaining binding strip in half lengthwise and press.
- Place the quilted piece with outer side facing up.
- Bind the entire perimeter of the quilted piece and attached pocket, placing binding strip on the outer side and having raw edges even.
- Stitch a 1 cm seam. At each corner, stop with the needle in the fabric, clip the binding, turn fabric and binding and continue.
- Press the folded edge of the binding towards the inner side, enclosing the raw seam.
- Mitre fold each corner and stitch binding in place along folded edge.



Create Pocket

- Fold up 18 cm of the side with the pocket attached.
- Tuck the strap under one edge, as illustrated.
- Stitch through all layers of binding on each outside edge.
- Create pockets by stitching from the folded edge up to the top of the bound pocket edge.

